

Caring for you

Contacts

Headquarters

Neusoft Medical Systems Co., Ltd.
No.177-1 Chuangxin Road, Hunnan District,
Shenyang, Liaoning, China 110167
Email: zhang-dan@neusoftmedical.com

Asia & Oceania

Neusoft Medical Systems Co., Ltd.
No.177-1 Chuangxin Road, Hunnan District,
Shenyang, Liaoning, China 110167
Email: yanghw@neusoftmedical.com

Africa

Neusoft Medical Systems (Africa) Co., Ltd.
D1,Ground Floor,Morningside Office Park,
Ngong Road, Nairobi, P. O. Box 22288-00505, Kenya
Email: yu.xm@neusoftmedical.com

Europe

Neusoft Medical Europe GmbH
Mergenthaler Allee 45
65760 Eschborn, Germany
Email: caoyang@neusoftmedical.com

Middle East

Neusoft Medical (MENA) FZ- LLC
No. 705/706, Building 26, Al-Baker Building
Dubai Healthcare City, P.O.BOX 115321, UAE
Email: liuwanj@neusoftmedical.com


North America

Neusoft Medical Systems, USA Inc.
14425 Torrey Chase Blvd, Suite 100
Houston, TX 77014, USA
Email: christopher.mchan@us.neusoftmedical.com

South America

Neusoft Medical Peru S.A.C.
Calle Los Conquistadores
175a, San Isidro, Lima 27, Peru
Email: liuba@neusoftmedical.com


www.neusoftmedical.com/en



NeuViz 128

Remarkable Clarity and Precision

NeuViz 128/Y19.07



NeuViz 128 RELEASED
2015

NeuViz 64In
2014

NeuViz 64
2012

NeuViz 16
2009

Neusoft CT installed base
reaches 1000 systems
2007


NeuViz Dual
2005

Neusoft enters into a joint venture
with Philips Medical Systems
2004

CT-C2800/3000 Dual
2002

CT-C2800/3000
2000

CT-C2000
1998



CT-C2000




NeuViz Dual



NeuViz 16



NeuViz 64



NeuViz 64 In

Neusoft CT


"A HISTORY OF INNOVATION"

Remarkable Clarity and Precision

NeuViz 128, one of the advanced scanner from the NeuViz CT family, provides remarkable clarity and precision to expand the range of services you can provide while reducing operational expenses. Full-featured, low-dose, workflow optimized and designed with patient comfort in mind, the NeuViz 128 is the CT choice you have been missing.

NeuViz 128 Product Highlights

- iHD (isotropic High Definition) imaging enables High Spatial Resolution: 24lp/cm@0%MTF
- Quad-sampling
- Micro-STAR detector
- 1024x1024 large matrix imaging
- Comprehensive low dose design
- ClearView, an advanced iterative reconstruction algorithm that adding diagnostic certainty with low dose imaging
- Robust, low dose cardiac imaging
- MAR+ (Metal Artifact Reduction)
- Patient centric, caring for patients and technicians



High Resolution Imaging-Chain


24lp/cm@0%MTF

Effective integration of high resolution hardware and software results in superior image and diagnostic quality.




Quad-Sampling

By dynamically moving the focal spot axially and longitudinally, sampling density is increased to 400%. This means improved resolution, reduced artifact and extended scanning ranges.




Micro-STAR detector

- True cone beam geometric design
- Precision cutting technology
- Ultra-thin photosensitive coating
- 4,640 sampling views/rotation
- X-Ray conversion efficiency to 99.99%





1024 Reconstruction Matrix

1024 x 1024 matrix technology and small focal spot provide the spatial resolution necessary from tiny lesions like lung nodule, inner ear, etc.




Compared with other 128-slice CTs, the spatial resolution of NeuViz 128 is greatly increased.



High Definition Imaging

100kV, 150mAs, Contrast: 350mg/ml, 80ml, 3.5ml/s




120kV, 315mAs, Contrast: 350mg/ml, 75ml, 3.5ml/s



120kV, 200mAs, Contrast: 350mg/ml, 75ml, 4.0ml/s



100kV, 480mAs, Contrast: 350mg/ml, 50ml, 3.5ml/s




A Focus on Low Dose Design

O-Dose Platform



ClearView

Iterative Processing in projection and image spaces delivers unbelievable dose reduction.



240 degree exposure

Dose to the patient and attending physician is reduced.



Organ-Safe

Reduces dose to radiosensitive organs such as eyes, thyroid and breasts.




Pediatric Protocols

Designed specifically for pediatric anatomy.




New detector design

Modular design delivers excellent X-Ray conversion efficiency, enhancing lower dose imaging while delivering exquisite image quality.




Auto kV

Automatically adjusted to the optimum kV. This reduces dose while insuring the best kV.



Dose Check

Fully implemented "Dose Check" ensures that a patient cannot be over radiated.



3D dose modulation

Tube current modulated based on the anatomy in the scan field to deliver anatomically optimized dose.



ECG dose modulation

Reduces tube current during non-imaging phases of the Cardiac Cycle to minimize patient dose.



Dose Report


Dose Report with DICOM conformity can be automatically created after scanning.




A Focus on Low Dose Design

ClearView


By performing iterative image processing operations in both projection and image space, the noise and artifact that often accompany low dose acquisition can be removed. This is done without a reduction in image detail.




120kV 233mA
full Dose




120kV 152mA
dose reduction




120kV 152mA
dose reduction + ClearView



120kV 150mA
full Dose



120kV 37.5mA
dose reduction




120kV 37.5mA
dose reduction + ClearView

Auto kV

Auto kV enables the Triple-low (low dose, low contrast concentration, low contrast volume) scanning while maintaining high image quality.

80kV, 100mAs, Contrast: 350mgI/ml, 30ml, 3.5ml/s




Robust, Low Dose Cardiac Imaging

ECG-DOM


By reducing the tube current during periods of the Cardiac Cycle where image data is not being acquired, patient dose can be significantly reduced.
Low dose Cardiac Images can be acquired and then processed with ClearView reducing patient dose to $\leq 1\text{mSv}$.

100kV, 160mAs, Contrast: 350mgI/ml, 65ml, 5.0ml/s



Coronary Motion Artifact Clear

Neusoft latest algorithm can correct cardiac motion artifact based on the modeling of coronary vascular motion tracing, which offers accurate cardiac imaging and significantly improves the temporal resolution.



Patient Centric

Caring for Patients and Technicians

The humanized cover and table design deliver scanning information to the patient and technician. Patient comfort is assured, improving their experience and insuring a high quality examination.



Gantry LCD monitor

The integrated display panel and illuminated ring on the gantry gives REAL-TIME information.



Control panels that are easier to read and use

The bold new design of the control panels includes larger knobs which are easier to operate.



Improved patient couch comfort

Increased padding with easily accessible emergency release buttons.




Ergonomically designed control box

Easier for clinicians to operate, improving workflow.




The newly designed user interface improves clinician efficiency by guiding the user effortlessly through the examination. The number of steps required to perform a study has been reduced, decreasing study times.







Metal Artifact Reduction

Effective integration of high resolution hardware and software results in superior image and diagnostic quality.




Maximizing Clinical Capabilities


Advanced Vessel Analysis




Fat Analysis




Virtual Colonoscopy




Perfusion Solution



Dental Analysis



Neusoft Global Service & Logistics Network



After-sales service and support

- Remote service capabilities bring Neusoft expertise to you IMMEDIATELY, no matter where you are!
- Identifying and correcting PROMPTLY and PROACTIVELY, minimizing downtime and patient inconvenience.
- Global logistics network enables fast response regarding parts and supplies.

* Note: The contents of this publication and the listed parameters are for reference only and not intended as legal offers or commitments. Neusoft Medical Systems reserves the right to modify the contents, design, specifications and options described herein without prior notice, and will not be liable for any consequences resulting from the use of this publication. Please contact your local Neusoft sales representative for the current information. The specific sales product configuration is subject to the actual contract signed by Neusoft.

* Not available in the United States.